DEKTAMALT

The Modern Pectin-Kaolin Therapy for INTESTINAL DISORDERS



 \mathscr{U} olitis-infant and adult Diarrhea-Dysentery-respond quickly to standardized massive doses of pectin and kaolin in a Koolin 100 grs. palatable base-Warren-Teed PEKTAMALT.

Each fluid ounce of Pektamalt contains

Pectin 10 grs. Alcohol in a palatable base





FOR OVER 55 YEARS WALKER-GORDON

has been the leader in developing a better and higher quality milk through new methods of production and improved standards.

WALKER-GORDON CERTIFIED MILK

is available to the medical profession and mothers in the following forms:

CERTIFIED RAW
CERTIFIED PASTEURIZED
CERTIFIED HOMOGENIZED - VITAMIN D
CERTIFIED SKIMMED MILK
WALKER-GORDON ACIDOPHILUS
WALKER-GORDON MODIFIED MILK

Many doctors call it "The World's Finest Milk" and have prescribed it for years

ORDER WALKER-GORDON CERTIFIED MILK FROM YOUR MILKMAN

or ask for it at your neighborhood store

in New York or Brooklyn


WALKER-GORDON LABORATORY COMPANY

Plainsboro, New Jersey

The Bulletin of The New York Academy of Medicine, Vol. 25, No. 7, Published by The New York Academy of Medicine, 2 East 103 Street, New York 29, N. Y. Entered as second-class matter, February 3, 1928, at the Post Office at New York, N. Y., under the Act of August 24, 1912. Subscription, United States, Canada and Cuba \$4.00; all other countries \$5.00 a year. Single copies, 50c.



VITAMIN



"Vitamin B₁₂ per unit of weight, is the most effective antianemic substance known." SPIES ET AL. J. A. M. A. 139:521, 1949

RUBRAMIN

SQUIBB vitamin B₁₂ concentrate

now in plentiful supply

- essentially painless, protein-free aqueous solution
- ▶ approximately the same cost as Liver Extract
- 1 cc. ampuls, each ampul containing 15 micrograms of vitamin B₁₂. Boxes of 5.

Dosage for 15 microgram RUBRAMIN is the same as that for 15 unit Liver Extract.

'RUBRAMIN' IS A TRADEMARK OF F. R. SQUIBB & SONS



Basic need is met when 'Surfacaine' (Cyclomethycaine, Lilly) is applied to damaged, irritated, or diseased skin and to rectal or genito-urinary membranes. Sustaining comfort is provided promptly and thoroughly, yet safely, with this new type of surface anesthetic.

Relief from pain usually lasts up to eight hours with 'Surfacaine.' However, it may be reapplied freely at shorter intervals, if necessary, and over extensive areas. Unlike topical analgesics whose value is sharply limited by high toxicity, 'Surfacaine' may be used liberally.

It is soothing to the tender skin of infants with diaper rash, to burns that are superficial or deep, to painful hemorrhoids, and to itching skin conditions.

Readily available as:

Ointment 'Surfacaine,' 1 percent, in 1-ounce tubes with removable, perforated rectal tips and in 1-pound and 5-pound jars

Cream 'Surfacaine,' 0.5 percent, in 1-ounce tubes and in 1-pound and 5-pound jars

Lotion 'Surfacaine,' 0.5 percent, in 4-ounce and 1-pint bottles

Suppositories 'Surfacaine,' 10 mg., in packages of 12 and 100

Suppositories 'Surfacaine,' 10 mg., and Sulfadiazine, 325 mg., in packages of 12

Suppositories 'Surfacaine,' 10 mg., and Zinc Oxide, 250 mg., in packages of 12

ELI LILLY AND COMPANY INDIANAPOLIS 6, INDIANA, U.S.A.

THE EVIDENCE IS BUILDING UP

HYDRYLLIN

"markedly benefited"

"% benefited . . . 73"2

"relief obtained"3

"definite relief"4

"relieved 56 per cent"5

IN HAY FEVER

"The results in hay fever with Hydryllin were very striking. Twenty of twenty-three seasonal hay fever patients (86.9 per cent) were markedly benefited, receiving relief varying from 50 to 100 per cent."

2 "% benefited 73." In table 1 it is shown that Hydryllin benefited 73 per cent of ninety-seven patients with seasonal and perennial allergic rhinitis.

"Sympton Hay Fever Number Relief Obtained of patients 100% 75% 50% 20%

81 3

"... in a group of hay fever cases, 14, or 52 per cent, obtained definite relief (50 to 100 per cent amelioration of symptoms) with Hydryllin.

In some cases relief followed immediately after the first use of the drug, but in other cases it was necessary to increase the dose to three to six

39 12 1

14"3

27 CASES

CASES

86 CASES

5 "Hydryllin relieved 56 per cent of 86 patients. . . . "5

tablets daily."4

AND IN ASTHMA

"In the asthmatic cases, both those with asthma due to pollen and those having asthma from other sources, the figures of the effectiveness of the drug are more impressive than those of other antihistaminics."

BIBLICORAPHY

L. Levin, S. J., and Moss. S. S.; Hydryllin in Asthma and Hay Fever, J. Michigan W. Soc. 47:869 (Aug.) 1948.

Z. Gay E. M., Landau, S. W., Carliner, P. E., Davidson, N. S.; Furstenlier, F. F.; Herman, N. B.; Nelson, W. H., Parsons, J. W., and Winkenweeder, W. W.; Comparative Study of Antihistamine Substances: IE. Clinical Observations, Bull. Johns Hopkins Hosp. 83:356 (Oct.) 1948.

3. Brown, E. B., and Brown, F. W.: The Use of a New Antihistaminic

Combination in the Treatment of Allergic Disorders, New York State J. Med. 48:1465 (July 1) 1948.

Markow, H.; Bloom, S., and Leibowitz, H.: An Evaluation of Hydryllin (Diphenhydramine and Aminophyllin) in the Symptomatic Treatment of Allergy, New York State J. Med. 48:2390 (Nov. 1) 1948.

 Arbesman, C. E.: Comparative Studies of Several Antihistaminic Drugs, J. Affergy, 19:178 (May) 1948.

6. Committee on Therapy of the American Academy of Allergy, St. Louis, Dec. 15-17, 1947.

HYDRYLLIN® SEARLE

Research in the Service of Medicine

HYDRYLLIN TABLETS contain:


HYDRYLLIN with Racephedrine Hydrochloride

Each tablet contains:

HYDRYLLIN ELIXIR (4 cc. = 1/2 Hydryllin tablet)

HYDRYLLIN COMPOUND (cough syrup preparation)

G. D. SEARLE & CO., CHICAGO 80, ILLINOIS



description


Smooth, refreshing, chocolate-mint-flavored suspension of nontoxic SULFASUXIDINE® succinylsulfathiazole (95% retained in bowel), 10%; *Pectin*, 1%; and *Kaolin*, 10%. Particularly well accepted by infants and children. Toxicity is negligible.

Nonspecific diarrhea, especially the "summer complaint" of infants. Consolidates fluid stools, soothes inflammation, checks enteric bacteria, detoxifies products of enteric putrefaction.



cremosuxidine®


Sulfasuxidine* suspension with pectin and kaolin



Infants: 2-3 teaspoonfuls, 4 times daily. Children: 1-2 tablespoonfuls, 4 times daily. Adults: 2-3 tablespoonfuls, 4 times daily. Supplied in 16 fl. oz. Spasaver⊕ bottles. Sharp & Dohme, Philadelphia 1, Pa.







Designs developed over many

If you do not have a copy of the Camp "Reference Book for Physicians and Surgeons", it will be sent on request.



THIS EMBLEM is displayed only by reliable merchants in your community. Camp Scientific Supports are never sold by door-to-door canvassers. Prices are based on intrinsic value. Regular technical and ethical training of Camp fitters insures precise and conscientious attention to your recommendations.

S. H. CAMP & COMPANY, JACKSON, MICHIGAN

World's Largest Manufacturers of Scientific Supports

Offices in New York • Chicago • Windsor, Ontario • London, England

How mild can a cigarette be?



DROSTREPTON SULFATE - PFIZ

an Effective Agent in the Treatment of TUBERCULOS

Dihydrostreptomycin Sulfate-Pfizer is a newly developed derivative of streptomycin which has properties which make its use advantageous in the treatment of tuberculosis, which requires prolonged administration. Its antibacterial activity is especially outstanding against the acid-fast bacilli and certain of the gram negative microorganisms which are not sensitive to penicillin.

While dihydrostreptomycin does not wholly overcome the untoward effects associated with streptomycin, it can be administered for longer periods of time before vestibular dysfunction becomes evident. This advantage gives promise that some infections may be cured without any symptoms of neurotoxicity.

Dihydrostreptomycin Sulfate-Pfizer is a highly purified product, chemically derived from streptomycin by the addition of hydrogen. In the sulfate form it is rarely irritating and produces no pain at the site of injection. Dihydrostreptomycin Sulfate-Pfizer is available to the medical profession through a number of leading pharmaceutical companies

> Chas. Pfizer & Co., Inc., 630 Flushing Ave., Brooklyn, N. Y. 425 N. Michigan Ave., Chicago 11, Ill. 605 Third Street, San Francisco 7, Calif.






Manufacturing Chemists Gince 1849

In treating Para-nasal Infections with

ARGYROL there is no rebound action to complicate end results

 The desirable goal of treatment is the restoration of normal nasal function, an impossible achievement when the use of vasoconstrictors induces rebound congestion or Rhinitis Medicamentosa.

ARGYROL not only has proven effectiveness in restoring normal function, but its use wholly avoids such undesirable side reactions.



The ARGYROL Technique

- The nasal meatus... by 20 per cent ARGYROL instillations through the nasolacrimal duct.
- 2. The nasal passages . . . with 10 per cent ARGYROL solution in drops.
- 3. The nasal cavities . . . with 10 per cent ARGYROL by nasal tamponage.

Its Three-Fold Effect

- Decongests without irritation to the membrane and without ciliary injury.
- 2. Definitely bacteriostatic, yet non-toxic to tissue.
- 3. Stimulates secretion and cleanses, thereby enhancing Nature's own first line of defense.

-the medication of choice in treating para-nasal infection.

SPECIFY THE ORIGINAL ARGYROL PACKAGE

Made only by the

A. C. BARNES COMPANY NEW BRUNSWICK, N. J.

ARGYROL is a registered trademark, the property of A. C. Barnes Company

for **RELIEF** of constipation without catharsis

NEO-CULTOL®

Natural Corrective Non-Habit Forming

Arlington

THE ARLINGTON
CHEMICAL COMPANY

YONKERS 1, NEW YORK

L. acidophilus in refined mineral oil jelly, chocolate flavored—restores normal intestinal flora and normal colonic function without griping, flatulence, diarrheic movements—gently lubricates without leakage. Jars containing 6 oz.

Special Offer! FOR A LIMITED TIME ONLY! DEEDLESS

PEERLESS MULTRASCOPE

A Combination Radiographic and Fluoroscopic Unit Regular \$1260.00 unit Reduced to

ONLY \$945.00

 Now . . . you can get the famous PEERLESS MULTRASCOPE at an unheard of money-saving price. In your office, this unit will pay for itself in short time . . . and increase your income.

Completely shockproof, radiation proof and has oil-immersed tube and transformer in same head. X-ray head and controls removable for portable use. Simple to install. Can be used for vertical and horizontal radiography and fluoroscopy, and all portable uses. It's as simple to use as a camera! Send for full details and latest literature.




Illustration of unit as used for horizontal radiography


PEERLESS

X-RAY LABORATORIES & MFG. CORP.

461-467 Tenth Avenue

New York 18, N. Y.

Manufacturers of X-Ray and Physical Therapy Apparatus Since 1923



Attention has recently been drawn to "an interesting approach" to the control of psoriasis and neurodermatitis. Perlman2 has reported that following the oral use of undecylenic acid, psoriasis was relieved completely in 3 out of 17 patients, and was partially relieved in the remainder. "Relief of itching is sometimes noticed as early as two days after institution of treatment . . . undecylenic acid seems to hold a great deal of promise in the improvement and possible prevention of recurrences of psoriasis and neurodermatitis."2

SEVINON* is available in gelatin capsules containing 0.44 Gm. undecylenic acid, highly purified for oral use. The dosage employed by Perlman² corresponds to 5 to 6 capsules three times daily by mouth, continued in some cases for as long as six months.

- 1. Undecylenic Acid and Psoriasis, editorial, J.A.M.A. 139:460, 1949.
- 2. Perlman, H. H.: J.A.M.A. 139:444, 1949.

*Sevinon trade-mark of Schering Corporation





Urinary pH No Problem with





Urinary Antiseptic of Choice

MANDELAMINE* therapy is simple; it requires no complicated regimen involving adjuvant acidifying or alkalinizing agents to enhance efficacy or reduce toxicity.

Carroll and Allen,¹ reporting the results of a clinical study comprising 200 cases, write:

"The administration of Mandelamine maintained an acid urine without dietary restriction or other drug therapy, excepting in those cases in which urea-splitting organisms were present."

MANDELAMINE'S effectiveness in both acute and chronic cases of urinary infection and its remarkable freedom from toxic reactions further commend it as the urinary antiseptic of choice.

SUPPLIED: Enteric-coated tablets of 0.25 Gm. (3¾ gr.) each, bottles of 120, 500, and 1,000.

- 1. Carroll, G., and Allen, N. H.: J. Urol. 55: 674 (1946).
- *MANDELAMINE is the registered trademark of Nepera Chemical Co., Inc., for its brand of Hexydaline (methenamine mandelate).

NEPERA CHEMICAL CO., INC. Manufacturing Chemists NEPERA PARK + YONKERS 2, N.Y.



- I No gastric upset
- 2 No dietary or fluid regulation
- 3 No supplementary acidification (except when urea-splitting organisms occur)
- 4 Wide antibacterial range
- 5 No danger of drug-fastness
- 6 Simplicity of regimen—3 or 4 tablets, t.i.d.

SARATOGA GEYSER WATER



may be helpful in conditions where the patient's natural inclination is to ingest foodstuffs deficient in alkaline ash residue. The rich alkalinity of Geyser Water will tend to restore the alkaline reserve to normal, in a most pleasant fashion.

> For literature, write WALTER S. McCLELLAN, M.D., Medical Director 610 Saratoga Springs

THE STATE OF NEW YORK . . . THE SARATOGA SPA

for the success treatment DOCTOR! May now pr the DAXALAN-DOME-PASTE BANDAGE TECHNIQUE AS INTRODUCED BY DR. WILLIAM M. COOPER, Director, Department of Peripheral Vascular Diseases—New York Polyclinic Medical School and Hospital. This technique is based on a 3 point program-Reduction of dermatitis with wet dressings of DOMEBORO TABS (BUROW'S SOLUTION) Simplified Stable SOLUTION Combat local infection and stimulate healing with thick application of DAXALAN in the center DOMEBORO of the ulcer and surrounding areas. Packers Powde Overcome venous insufficiency, stasis and edema by wrapping DOME-PASTE BANDAGE around the entire leg to supply compression. Ointment Write for samples and

DOME CHEMICALS INC. 250 EAST 43rd STRI Makers of the Soathing, Modernized Form of Burow's Solution DOMEBORO — Tablets - Powder - Packets - Ointment

Herald Square, N. Y.

Parkchester, Bronx



Jamaica, Queens

Prine for someres on medical

Flatbush, Brooklyn

White Plains, N. Y.

MACY'S PRESCRIPTION DEPARTMENT

If it's new, Macy's has it. With the pharmaceutical industry constantly developing new drugs for the physician's use, Macy's stocks each product as soon as it is available. Your patient will not have to search out new drugs; we have them. And our prices are low.

No wonder so many physicians prefer Macy's Prescription Department.

SPECIALISTS IN ALL TYPES OF ARTIFICIAL HUMAN EYES EXCLUSIVELY





ARTIFICIAL HUMAN EYES

"True to Life"

ESPECIALLY MADE TO ORDER BY SKILLED ARTISIANS

Comfort, pleasing cosmetic appearance and motion guaranteed. Eyes also fitted from stock by experts. Selections sent on memorandum. Referred cases carefully attended.

FRIED & KOHLER, Inc.

"Forty-five years devoted to pleasing particular people"


665 Fifth Ave. (53rd St.), New York 22, N. Y. • ELdcrado 5-1970

a directed therapy for intestinal infection

THALAMY

phthalylsulfacetimide-Schering

THALAMYD* has useful properties for combating sulfonamide-sensitive enteric organisms in bacillary dysentery, in ulcerative colitis, and in the preoperative sterilization of the intestine. Therapeutic dosage does not lead to detectable sulfonamide blood levels, hence there is no problem of systemic toxicity sometimes occurring with "absorbable" sulfonamides. Renal damage and aberrations of the blood picture do not occur. THALAMYD is absorbed, however, by diffusion, into the intestinal wall, where effective local concentration is established - where highest antibacterial action is required. Thus,



in preoperative sterilization, the bacterial flora can be virtually eliminated after four to five days treatment with THALAMYD. Thus elective intestinal surgery can be planned for this optimum time and carried out with minimal risk of infection;1

in ulcerative colitis, there is both symptomatic and objective benefit in more than half of the cases, according to x-ray and sigmoidoscopic criteria.2

THALAMYD, Schering's phthalylsulfacetimide, tablets of 0.5 Gm., bottles of 100 and 1000 tablets.

- 2. Heineken, T., and Seneca, H.: Rev. Gastroenterol. 15:611, 1948.



Schering corporation Bloomfield, NEW JERSEY

Ease the...


BURDENED HEART

EDEMATOUS TISSUES

DUBIN AMINOPHYL

ACTIVE DIURETIC . MYOCARDIAL STIMULANT BRONCHIAL RELAXANT

DISTRESSED LUNGS



TABLETS · AMPULS · POWDER · SUPPOSITORIES

H. E. DUBIN LABORATORIES, Inc., 250 East 43rd St., New York 17, N.Y.

IN THE RAMAPOS

Sanitarium devoted to the individual care of mental cases.

CENTRAL VALLEY

Orange County **NEW YORK** • THEODORE W. NEUMANN, M.D. Physician-in-Charge

MAGER & GOUGELMAN, INC.

510 MADISON AVENUE • NEW YORK 22, N. Y. • PLaza 5-3756


Specialists in the manufacturing and fitting of


PLASTIC AND GLASS EYES

Cutler, Rolf and Hoffman Implants Reprints and Catalogue Available

PARTICULAR ATTENTION GIVEN TO FITTING PROSTHESIS FOR MOTILITY IMPLANTS







The four cardiac chambers, the pulmonary blood vessels, and the thoracic aorta may be rendered sufficiently opaque for good roentgen visualization by the Robb-Steinberg method.

Angiocardiography is of particular importance in the differential diagnosis of congenital heart disease, chronic pericarditis, aneurysm, arteriovenous fistulas near the heart, and mediastinal disease. Only one radiopaque agent is recommended for this purpose:

DIODRAST AMPULS OF 50 CC.
CONCENTRATED SOLUTION 70%





When, in your opinion, beer can be beneficial in the convalescent's diet, it will be helpful to note the virtues of one brewed solely of barley-malt*.

Trommer's White Label is one of the few beers of this type produced in America. Carefully following the old-world formula, it is brewed solely of selected hops and fine barley-malt, but no other grain.

The result is a fine premium beer, light to taste, light to drink—a beer especially welcomed by the patient.

*Malted Barley is rich in an enzyme which digests starch in the production of maltose. (From "Accepted Foods and Their Nutritional Significance," by the Council on Foods of the American Medical Association)



JOHN F. TROMMER INC., BREWERIES AT BROOKLYN, N. Y.; ORANGE, N. J.

CHARLES B. TOWNS HOSPITAL

ESTABLISHED 1901

FOR ALCOHOLISM, NARCOTIC AND BARBITURATE ADDICTIONS exclusively

THE TOWNS TREATMENT for alcoholism is a medical and psychiatric procedure. Restoration of the normal physical functioning is the first objective. This makes possible a more rapid approach to the ALCOHOLIC PROBLEM itself and to its varied psychiatric manifestations.

THE TOWNS TREATMENT for the varied drug addictions accomplishes a rapid but humane withdrawal. It is effective in reducing the intensity of the withdrawal syndrome. The psychological phase of the habit receives individualized psychiatric attention in an effort to minimize relapse.

Patients are assured of complete privacy if desired. Length and cost of treatment are predetermined. Physicians and psychiatrists in residency. Trained nursing, physio and hydrotherapy staff.

Literature on request.

W. D. SILKWORTH, Medical Supt.

EDWARD B. TOWNS, Director

293 CENTRAL PARK WEST • NEW YORK 24, N. Y. • SChuyler 4-0770

Member American Hospital Association

Our advertisement also appears in the JAMA and other leading medical journals.

RE: Diagnosis of Early Uterine Cancer

Dear Doctor:

Your office is a cancer detection center.

One of the simple, effective office procedures which you can follow routinely is the taking of smears, surface biopsy scrapings, etc. This can be done by any trained doctor, nurse or technician, and the smears and scrapings can then be sent to a laboratory specializing in cytological diagnosis. Cytology interpretation is highly specialized and requires the experienced judgment of cytologists especially trained in the field.

Clay-Adams Uterine Cancer Cytology Kits include all materials needed for taking cytology samples and mailing them to cytological laboratories.


. The glycerine mailing technic of Ayre and Dakin offers a simple method of mailing the samples to the laboratory.

You can learn which laboratories in your area specialize in cytological diagnosis by contacting one or more of the following:

(1) The pathologist at your local hospital; (2) your local cancer clinic; (3) your State Department of Health Cancer Service; (4) your local unit or State Division of the American Cancer Society.

Ask your Surgical Dealer for literature on Clay-Adams Uterine Cancer Cytology Kits.





RESEARCH NEW D

N E \

RES

NEW

NE W

RESEA

New aid to hypodermoclysis and local anesthesia

Hydase is a new enzyme preparation that liquefies hyaluronic acid, the intercellular barrier substance . . . and thus greatly facilitates diffusion of injected fluids. In hypodermoclysis, Hydase facilitates absorption of

In hypodermociysis, fryuase facilitates aline, saline-glucose, sodium lactate solutions, plasma. Patients absorb a much greater quantity of fluid in a given time . . . swelling disappears faster after clysis . . . pain due to distention is prevented.

A R

In general surgery, Hydase makes it possible to induce nerve block anesthesia more rapidly and accurately. It is a successful adjuvant to infiltration anesthesia in ankle sprains, subdeltoid bursitis, myositis, saphenous vein ligation.

ligation.

Completely nontoxic in therapeutic doses, Hydase is supplied in sterile vials of 150 TRU (turbidity reducing units), of lyophilized hyaluronidase.

Lyophilized

HYDASE

TRADEMARK

Hyaluronidase

Wyeth

WYETH INCORPORATED, PHILADELPHIA 3, PA.

RESEARC

NEW DE

RESEARC

TEW DEVELOPMENT OF WYETH

RESEARCH NEW DEVELOPMENT OF WYET

For refreshment Have a Coke



Tree of Rags

Years ago, pieces of cloth or clothes hung on a tree—"Lappenbaum"—were offerings to the tree spirit. They were given in the hope that the donor would so be cured of some ailment. Later the practice was followed in the belief that pieces of a sick man's clothing would somehow transfer the sickness to a healthy tree.

The practice of medicine today has little similarity with that of our ancestors. The physician of today is entirely free from superstition. He insists that his patients get medicinals which will provide exact therapeutic results.

Today the physician has learned to depend on Mallinckrodt prescription chemicals. He knows their uniform, dependable purity.

MALLINCKRODT PRESCRIPTION CHEMICALS

lodides

Silver Salts

Bismuth Compounds

Mercurials

Iron Compounds

Salicylates

Diagnostic Aids

Mandelates

Sulfonamides

Vitamins

Anesthetic Agents



82 Years of Sorvice to Chemical Users

MALLINCKRODT CHEMICAL WORKS
Mallinckrodt Street, St. Louis 7, Mo. • 72 Gold Street, New York 8, N.Y.

Chicago • Cincinnati • Cleveland • Los Angeles Montreal • Philadelphia • San Francisco

Uniform

Dependable

Purity

In the Treatment of

URINARY TRACT
INFECTIONS

Experience shows the value of this highly purified form of Streptomycin


STREPTOMYCIN Calcium Chloride Complex Merck is a potent antibacterial agent which is effective in the treatment of urinary tract infections due to a large group of susceptible organisms.

It is rapidly absorbed into the blood stream, and 60 to 80 per cent is excreted by the kidneys in twenty-four hours. High concentrations can be obtained in the urine, far above those to which the organisms common in urinary tract infections usually are susceptible *in vitro*. The uniformly high potency of Streptomycin Calcium Chloride Complex Merck, and its high degree of purity, give this form of streptomycin definite advantages in urinary tract infection therapy.

It is supplied in sterile, rubber-stoppered, aluminum-capped 20 cc. vials containing the equivalent of 1 Gm. of Streptomycin Base and 50 cc. vials containing the equivalent of 5 Gm. of Streptomycin Base.

STREPTOMYCIN CALCIUM CHLORIDE COMPLEX MERCK

COUNCIL ACCEPTE




MERCK & CO., Inc.

Manufacturing Chemists
In Canada: Merck & Co., Ltd. Montreal, Que.

RAHWAY, N. J.

A distinguished nasal vasoconstrictor



POTENT In allergic nasal congestion only 2 to 3 drops of Privine hydrochloride, 0.05 per cent, bring prompt and complete relief.

PROLONGED This relief lasts from 2 to 6 hours, thus avoiding the inconvenience of frequent applications.

BLAND Stinging and burning usually are absent. Privine is prepared in an isotonic aqueous solution buffered to a pH of 6.2 to 6.3. Thus, artificial differences in osmotic pressure between solution and epithelium are avoided.

SAFE Privine is generally free of systemic effect. It may be applied before retiring with no resultant interference with restful sleep. Occasionally a sedative effect may be noted in infants and young children. Such an effect is usually due to gross overdosage.

PRIVINE: 0.05% in 1-ounce dropper bottles and 1-pint bottles; 0.1% strength reserved for office procedures, in 1-pint bottles only.